

Anne Arundel County Department of Health COVID-19 Guidance for Long-Term Care Facilities

This guidance is based on current information known about the COVID-19 (coronavirus). The Centers for Disease Control and Prevention (CDC), Maryland Department of Health and the Anne Arundel County Department of Health (AA CO DOH) will provide updated guidance as needed and as additional information becomes available. Please continue to check www.cdc.gov and www.aahealth.org/COVID-19 routinely for updated guidance.

HOW TO PROTECT LONG-TERM CARE RESIDENTS

- A. **Infection Control Measures:** To avoid transmission within long-term care facilities, the facility should use separate staffing teams for COVID-19-positive residents to the best of their ability, and work with state and local leaders to designate separate facilities or units within a facility to separate residents with known or suspected COVID-19 from other residents.
- B. **Admissions and Readmissions:** **NOTE: Facilities can accept a resident diagnosed with COVID-19 who is still under Transmission-Based Precautions for COVID-19 as long as the facility can follow CDC guidance for Transmission-Based Precautions and maintain social distancing.** This does not extend to facilities experiencing outbreaks of other diseases (flu, C-diff, etc.). **A COVID-19 test should NOT be required for admission** if the facility has the proper precautions in place.

For New Admissions:

- a. Create a dedicated observation area to house on COVID-19-positive residents being admitted or readmitted from an outside facility. This could be a separate unit/wing if possible or dedicated room in one area. Ideally, this area would have private rooms with private bathrooms.
- b. Patients being admitted to this area **do not need to be tested for COVID-19** prior to admission. They should be screened for COVID-19 symptoms prior to admission using the following methods:
 - i. Verbal report received from the transferring facility
 - ii. Temperature taken (cutoff for fever is >100.0 F)
 - iii. Questions asked about symptoms: cough, shortness of breath, sore throat, fatigue/malaise, diarrhea, dizziness
 - iv. If a new resident screens positive, the resident needs to be placed on strict isolation (contact and droplet precautions with eye protection) and not allowed to mix with any other residents.

- v. If a new resident screens negative, the individual should be admitted to this observation unit/area for 14 days. The individual can mix with other residents in this unit/area but not with other residents in the facility. The resident should also be screened daily with temperature and symptom checks and placed on strict isolation if the resident screens positive.
- vi. After 14 days on the observation unit, if the resident does not ever screen positive, the individual can be released to mix with the general population.

New Admissions at Facilities with COVID-19 Outbreaks:

In long-term care and assisted living facilities with COVID-19 outbreaks, it is recommended that determinations about closure of the facility to new admissions be done on a case-by-case basis. This may involve several considerations, including, but not limited to: the ability of the facility to implement recommended infection control measures; the extent of transmission within the facility; and the capacity of the facility to provide appropriate care to residents. **Contact the Anne Arundel County Department of Health at 410-222-7256 for further instructions if your facility has been deemed as having an COVID-19 outbreak.**

C. Patients who have been hospitalized for suspect or confirmed COVID-19 can be discharged from the hospital whenever it is clinically indicated. They do NOT require retesting to be discharged.

- i. A long-term care facility can accept a resident diagnosed with COVID-19 and still under Transmission-Based Precautions for COVID-19 as long as the facility can follow CDC guidance for Transmission-Based Precautions. If a nursing home cannot follow this guidance, it must wait until these precautions are discontinued.
- ii. The placement of newly admitted residents who have been previously diagnosed with suspect or confirmed COVID-19 should be based on whether they still require the use of Transmission-Based Precautions:
 - 1. Patients who meet criteria for discontinuation of Transmission-Based Precautions for COVID-19 can be admitted to the general population using Standard Precautions.

2. Patients who do not yet meet criteria for discontinuation of Transmission-Based Precautions for COVID-19 should be admitted to a private room with a private bathroom on Standard, Contact, and Droplet Precautions (including eye protection). These patients should be isolated to their rooms except for necessary medical procedures until they meet criteria for the discontinuation of Transmission-Based Precautions.

D. Identify Infections Early:

- a. Actively screen all residents every shift for fever and respiratory symptoms; immediately isolate anyone who is symptomatic. Long-term care residents with COVID-19 may not show typical symptoms such as fever or respiratory symptoms. Additional symptoms may include new or worsening malaise, new dizziness, diarrhea or sore throat. Identification of these symptoms should result in prompt isolation and further evaluation for COVID-19 if it is circulating in the community.
- b. All residents with undiagnosed respiratory illness should be cared for using standard, contact and droplet precautions with eye protection (i.e. gown, gloves, face mask, and face shield or goggles), at least until diagnosis is clarified.

E. Staff Assignments: Long-term care facilities and other similar facilities shall immediately implement, to the best of their ability, the following personnel practices:

- a. Establish a cohort of staff who are assigned to care for known or suspected COVID-19 residents.
- b. Designate a room, unit, or floor of the nursing home as a separate observation area where newly admitted and readmitted residents are kept for 14 days on contact and droplet precautions while being observed every shift for signs and symptoms of COVID-19.
- c. Designate a room, unit, or floor of the nursing home to care for residents with known or suspected COVID-19.

F. Reinforce Sick Leave Policies: Staff should not report to work ill. Signs and symptoms of COVID-19 can be very mild, so even mild signs of respiratory illness should result in health care provider exclusion.

G. Active Monitoring of Staff: Staff should be actively monitored for signs and symptoms of respiratory illness.

- a. At the start of each shift, health care providers should be required to check their temperature and report whether they are experiencing any signs and symptoms of respiratory illness.
- b. Active monitoring should be repeated every 8 hours and as needed.
- c. Any staff that develop signs and symptoms of respiratory illness while working should promptly don a face mask and be sent home.

- d. Staff may return to work after at least 7 days since symptoms first appeared AND at least 3 days since recovery, defined as resolution of fever without the use of fever-reducing meds AND improvement in respiratory symptoms.
- e. **If staff shortages are experienced by a facility, they should call 410-222-7256 to** determine whether any staff may return to work earlier than recommended to address the need for staffing.

HOW TO PROTECT NURSING HOME STAFF

Personal Protective Equipment (PPE): Health care facilities should ensure all staff are using appropriate PPE when they are interacting with patients and residents, to the extent PPE is available and per CDC guidance on conservation of PPE: [COVID-19: Strategies for Optimizing the Supply of PPE](#) . Maryland continues to prioritize long-term care facilities in the highest category to receive PPE.

- A. To request PPE, fill out the [Emergency Medical Material \(PPE\) Request Form](#) and email it to eoc@aacounty.org.
- B. All personnel who are in close contact with residents of long-term care facilities shall wear personal protective equipment, including
 - A face mask. **All staff need to wear a face mask at all times while anywhere in the facility.**
 - Appropriate eye protection
 - Gloves
 - Gown
 - a. Gowns are just one part of an overall COVID-19 prevention strategy, and that gowns are most important when a healthcare worker is in close direct contact with a resident. Gowns per se do not necessarily need to be an element of the PPE worn in all interactions with residents. Facilities should estimate their gown needs over the next 2 weeks, check with their regular suppliers to see if those needs can be met, and if not, notify the jurisdictional emergency operations center or local emergency manager.
 - b. The use of gowns is primarily to prevent infectious droplets from being spread from resident to resident via healthcare providers by direct contact and this risk may not be present for all interactions with residents.
 - c. Gowns are most important when a healthcare workers (HCW) is in close direct contact with a resident (via such activities as dressing, bathing/showering, transferring, providing hygiene, changing linens, changing briefs or assisting with toileting, device care or use, and wound care).
 - d. Walking into a room or handing out food or meds is different and does not require use of a gown. Additionally, HCW who work in areas of the facility where they do not come into contact with residents, e.g. in the kitchen or exclusively administratively, do not need to wear gowns and gloves.
 - e. Gowns should be prioritized for residents with other infections requiring contact precautions, e.g. infectious diarrhea, *C. difficile*.

- C. The PPE should be worn at all times while providing care to residents in the facility and personnel should follow CDC guidance for using personal protective equipment.
- D. In all cases, the staff must use a procedure or surgical mask, or the best available equipment as specified in the above CDC's Strategies to Optimize the Supply of PPE and Equipment. If a face mask must be taken off for the purposes of eating or drinking, personnel must not touch the outer surfaces of the mask during care, and mask removal and replacement must be done in a careful and deliberate manner. Personnel should ensure they are maintaining appropriate social distances of greater than 6 feet from others at all times, including with residents, unless resident care duties require otherwise.

Personal Protective Order Conservation: Subject to availability, all health care providers are required to immediately implement the U.S. Centers for Disease Control and Prevention Contingency and Crisis Capacity Strategies for the use of personal protective equipment, to include, but not limited to:

- A. Use face masks beyond the manufacturer-designated shelf-life during patient care activities.
- B. Implement limited re-use of face masks. The health care provider must not touch the outer surfaces of the mask during care, and mask removal and replacement must be done in a careful and deliberate manner.
- C. Prioritize face masks for:
 - a. Provision of essential surgeries and procedures;
 - b. During care activities where splashes and sprays are anticipated;
 - c. During activities where prolonged face-to-face or close contact with a potentially infectious patient is unavoidable; and
 - d. For performing aerosol generating procedures, if respirators are no longer available.
- D. Exclude health care providers at higher risk for severe illness from COVID-19 from contact with known or suspected COVID-19 patients. In addition, refer to [Strategies to Optimize the Supply of PPE and Equipment](#) if PPE supplies are low.
- E. **If your supply of PPE is getting critically low (3 days or less), call 410-222-7256 for assistance.**

STRATEGIES FOR OUTBREAK PREVENTION AND COVID-19 TESTING INFORMATION:

Testing for COVID-19 in long-term care facilities remains a priority for Anne Arundel County. Facilities should call the Department of Health, **410-222-7256**, with any questions about testing staff and/or residents of the facility. Staff and/or residents will be screened and approved for testing based on current symptoms, exposures and testing kit availability. Testing is available seven days a week during normal business hours, and every attempt will be made to conduct same day testing, if possible. Testing results are usually obtained in 1-2 days but may be delayed due to circumstances beyond the Department of Health's control. All results, positive and negative, will be followed up, and facilities/residents will be notified by the AAC DOH Disease Surveillance staff.

RIGHT OF RETURN FOR PREVIOUSLY ILL RESIDENTS

Returning residents to their nursing facility, their nursing home, remains a priority. Nursing home residents admitted or seen at a hospital for COVID-19, shall be allowed to return to the nursing home as long as the facility can follow the approved CDC recommendations for transmission-based precautions. If the residents must temporarily go to another facility, every effort must be made by the receiving and original long-term care facilities to transfer the residents back to their original long-term care facilities as soon as possible.

GOVERNOR HOGAN'S ANNOUNCEMENT ON STATEWIDE STRIKE TEAMS

STRIKE TEAMS FOR NURSING HOMES: On April 5, 2020, Maryland Governor Larry Hogan announced the formation of statewide strike teams, the first such effort in the nation, to provide support to nursing home facilities. These strike teams will be activated in response to requests from nursing homes, local health departments, and Maryland Department of Health (MDH) infectious disease experts. There will be three types of teams:

- Testing teams - to identify those in close contact with a confirmed case, and collect and send out specimens for the fastest test available. **See Above STRATEGIES FOR OUTBREAK PREVENTION AND COVID-19 TESTING INFORMATION for Anne Arundel County.**
- Assistance teams - to quickly assess the situation on-site, determine equipment and supply needs, and triage residents.
- Clinical teams - will include doctors, nurse practitioners and registered nurses from major hospital systems, tasked with providing on-site medical triage and stabilizing residents.

REFERENCES:

1. [Governor Hogan Emergency Order to Protect Nursing Home Residents 04-05-2020](#)
2. [Secretary Neall Directive and Order Regarding Nursing Home Matters 04-05-2020](#)
3. [MDH-Preparing for and Responding to COVID-19 in Long-term Care and Assisted Living Facilities](#)
4. [MDH-RECOMMENDATIONS FOR INFECTION CONTROL & PREVENTION OF COVID-19 IN FACILITIES SERVING OLDER ADULTS](#)
5. [CMS-Guidance for Infection Control and Prevention of Coronavirus Disease 2019 \(COVID-19\) in Long-term care facilities \(REVISED\)](#)

Prepared on April 10, 2020

Nilesh Kalyanaraman, M.D.
Anne Arundel County Health Officer

Pamela Jordan
Director
Anne Arundel County Department of Aging and Disabilities